# **HVAC Temperature and Schedule Set Point Guidelines**

# **HVAC: Temperature and Humidity Set Points**

## Air Conditioning

Occupied: 73°

Unoccupied: 80°

## Heating

Occupied: 69° Unoccupied: 60°

If any temperature settings in your building are incorrect, contact the maintenance department immediately.

Humidity Maximum

Occupied: 65% RH

Unoccupied: 65% RH

## **HVAC: Schedules**

### o Time Schedule

■ HIGH SCHOOLS: 8:15am – 3:45 pm MIDDLE SCHOOLS: 8:00 - 3:15 ■ ELEMENTARY SCHOOLS: 7:30 – 2:30

## Normal Operation

## Admin. Areas and Media Center

Optimal Start: 2 hrs before normal start

Normal Start: 8:00 am

Optimal Stop: 5 min before normal stop

Normal Stop: 5:00 pm

#### **ALL Other Areas of ALL Schools**

Optimal Start: 2 hrs before normal start

Normal Start: 15 min before first class

Optimal Stop: 5 min before normal stop

Normal Stop: 0 min after final class

#### Kitchen

Optimal Start: 4:30 am Normal Start: 6:30 am

Normal Stop: 1:30 pm

#### **ALL Outside Air Units**

o Normal Start: 30 min after first class begins

Normal Stop: 30 min before final class ends

#### **ALL Outside Air Units**

Off; Unoccupied mode ONLY

## Summer Operation (Monday – Thursday)

#### Admin. Areas and Media Center

Optimal Start: 2 hrs before normal start

Normal Start: 7:00 am

Optimal Stop: 5 min before normal stop

o Normal Stop: 5:30 pm

#### **ALL Other Areas of ALL Schools**

Unoccupied mode

HVAC overcalls MAY be enabled

#### **ALL Outside Air Units**

Off; Unoccupied mode ONLY

- If the air conditioning or heating systems in your building are not working according to these schedules, contact the maintenance department
- If you need to have the schedule changed for any reason, notify the HVAC Manager for review and approval.

## **HVAC: Policies**

#### Doors and Windows

DO NOT prop open doors or windows for any reason